genu... Grodhaus,
lae) ...hina, ...th descrip

blong[2]   inhua[2]

rsity, T... 31800

rsity, Ti...   hir

7 is re...

ustrated

ye...

, 198

lu

I.

as

l

Ne
Tr
v

he superior
uenopsectra
of setae on
e immature
ood, leaves,
its in   )5; Roque &
dhaus (auna

ath...   ...cn

Region otropical R on. Since then, S

ecies and *E. gr ausi*) from Guate

given s (1987); es & Reiss (1996)

hesp ated from sta Rica and

t al. (ed *E. alb m* and *E.*

rivinh 008) des ed four

E. tal outheaste Brazi

otropi

cies o s from O

belos

ture

rid (m

Trivi 08)

1 ....

-. ....

2 ......

-. ....

3. al

..

A

4

.... 4

inho-Strixino

.... 5

blette & Sasa

covering the

....

inho

the

ed

sp

blette & Sasa

84–28

& Sas
asa, 19 & Trivinho-S ino, 2008: 192.
a, Gua .

& Triv o, 2008
rivinho 193.

Trivin 2008
inho-S 6.

vinho
ho-Strix

v. (
le in ing

g of
a ae
le

e down the
notum dark,
the median

pygi
0. Ul mporal s
verticals, als
10–250 µ
7: 235–2 tr.
r ntrals

ent, w   gmentatio   VR 1.08–1.11. Br
with   with 30–3   M with 6–7 setae

tibia   ng, subtr gular, with
hind   osely app imated
id tibi   and 14–   µm
long (h at apex   f
20 µm   ere 1 wit'
legs i

propo

X   dian s
etae   –150 µ
ss p   tall
50
23
1
1
14   r

2

1°23.45'E),
type.
lomen with

efor   rded in the
s. *Ena*   chironomi
stern Br   ea (
Chinese sp
ical mo   h   *imicul*
C   000 k

e of *E* ad been re ted living in mac
uits a er sponge The type localit
here h is well eloped. For this
pecies trate in th eaves and stem

um sp. nov ad
Mid tibial ew, 8.

has   nentation   erns on abdome
E. re   o. nov. re   bles *E. hesperiu*
and v   everal set   on M vein, but
ith m   hich are a   nt in *E. hesperi*
in *E. l*

by t   Natural
iang   atu
a (FY

f

ent,   nomi   nd Orth
ard   154

d m

bib
–1

Su

nala. *Spixiana*